


Type 210 – Anti-Corrosion Seal

Imperial Series



D1 ^{+0.000} _{-0.002}	D3 ^{Ref}	D6 ^{+0.003}	D7 ^{+0.005}
2.000	3.184	3.480	4.032
2.125	3.309	3.587	4.157
2.250	3.434	3.712	4.282
2.375	3.559	3.855	4.409
2.500	3.684	3.960	4.538
2.625	3.753	4.114	4.654
2.750	4.018	4.314	4.788
2.875	4.143	4.439	4.921
3.000	4.268	4.564	5.039
3.125	4.393	4.689	5.157
3.250	4.518	4.814	5.275
3.375	4.643	4.939	5.394
3.500	4.768	5.064	5.512
3.625	4.893	5.189	5.669
3.750	5.018	5.216	5.788
3.875	5.143	5.439	5.907
4.000	5.268	5.472	6.032

Metric and other sizes available upon request.

CONSTRUCTION MATERIALS:

Metal parts

- 316 SST - standard
- Hastelloy, Monel
- Alloy 20 and Specials
- Standard Hastelloy springs

Secondary seals

- Fluorocarbon (Viton®)
- Ethylene Propylene
- FFKM (Kalrez®)
- Specials

Seal rings (faces)

- Resin impregnated carbon-graphite
- 6% Ni-bonded Tungsten carbide
- Reaction bonded SiC
- Self-sintered SiC
- Electro-graphite
- Graphite impregnated SiC and Specials

P/N. PS210

Rev. A, APRIL 1, 2000