




# Type 210D - Dual Anti-Corrosion Seal

## Imperial Series



D1 <sup>+0.000</sup> <sub>-0.002</sub>	D3 <sup>Ref</sup>	D6 <sup>±0.03</sup>	D7 <sup>±0.005</sup>
2.000	3.184	3.480	4.032
2.125	3.309	3.587	4.157
2.250	3.434	3.712	4.282
2.375	3.559	3.855	4.409
2.500	3.684	3.960	4.538
2.625	3.753	4.114	4.654
2.750	4.018	4.314	4.788
2.875	4.143	4.439	4.921
3.000	4.268	4.564	5.039
3.125	4.393	4.689	5.157
3.250	4.518	4.814	5.275
3.375	4.643	4.939	5.394
3.500	4.768	5.064	5.512
3.625	4.893	5.189	5.669
3.750	5.018	5.216	5.788
3.875	5.143	5.439	5.907
4.000	5.268	5.472	6.032

Metric and Other Sizes available upon request.

Disclaimer : Ettem Engineering reserves the right to change or alter specifications without giving any prior notification.

### CONSTRUCTION MATERIALS:

#### Metal parts

- 316 SST- standard
- Hastelloy, Monel,
- Alloy 20 and Specials
- Standard Hastelloy springs

#### Secondary seals

- Fluorocarbon [ Viton<sup>®</sup> ]
- Ethylene Propylene
- FFKM [ Kalrez<sup>®</sup> ]
- Specials

#### Seal ring [faces]

- Resin impregnated carbon - graphite
- 6% Ni-bonded Tungsten carbide
- Reaction bonded SiC
- Self - sintered SiC
- Electro - graphite
- Graphite impregnated SiC and Specials

P/N PS210D  
Rev. 0, January 1, 2013